

Subwoofer

SW218V



CW218V



SW118V

V



CW118



SW115V

V



CW115

Rugged subs extend low response for solid sonic impact.

Subwoofers that can add serious authority to your low end.

- Painsstaking selection of parts and components, optimized wooden enclosures, and a thorough reevaluation of speaker capacity take sonic performance to a new level.
- Dual phone jacks and dual Speakon connectors for input and parallel connection.
- Advanced bass-reflex design for smooth bass response
- Durable exterior with a carpeted surface, arced steel grille, and large metal handles for improved portability.
- Ideally matched to Yamaha powered mixers and power amplifiers.

Concert Club V Series

GENERAL SPECIFICATIONS

	SW115V/CW115V	SW118V/CW118V	SW218V/CW218V
Type		Bass-reflex	
Frequency range (-10dB)	35Hz-2kHz	30Hz-2kHz	30Hz-2kHz
Nominal impedance	8Ω		4Ω
Power rating	NOISE	250W	600W
	PGM	500W	1200W
	MAX	1000W	2400W
sensitivity (1W,1m)	95dB SPL	96dB SPL	98dB SPL
Component	15" cone	18" cone	18" cone x 2
Connectors	1/4" phone jack x 2, SPEAKON Neutrik NL4MP x 2		
Dimensions (W x H x D)	506 x 611 x 532mm (19.9" x 24.1" x 20.9")	610 x 728 x 641mm (24.0" x 28.7" x 25.2")	1221 x 578 x 659mm (48.1" x 22.8" x 25.9")
Weight	SW115V: 28.2kg (62.2lbs)/CW115V: 28.0kg (61.7lbs)	SW118V: 39.0kg (86.0lbs)/CW118V: 37.2kg (82.0lbs)	SW218V: 65.4kg (144.2lbs)/CW218V: 64.7kg (142.6lbs)

DIMENSIONS

unit : mm

